

4/13 Select body frames (face, fore trunk, fore hip, ...) Calculate coordinates Propose repere points points Collimate patient to repere points (e.g. glabella, tabial rima...) Visit Parameters Displaying area located by repere points¬L'_Ü øl'_ Positioning by joystick or function push buttons Satisfactory? Register repere points Store new Parametric

FIG. 4




FIG. 5






FIG. 6





TA (ALFA=170°)






FIG. 0

FIG. 10









FIG. 12






FIG. 14

This Page is inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BL BL	ACK BORDERS
MI X	IAGE CUT OFF AT TOP, BOTTOM OR SIDES
A FA	DED TEXT OR DRAWING
BL	URED OR ILLEGIBLE TEXT OR DRAWING
SK	EWED/SLANTED IMAGES
п со	DLORED OR BLACK AND WHITE PHOTOGRAPHS
☐ GR	RAY SCALE DOCUMENTS
	NES OR MARKS ON ORIGINAL DOCUMENT
O RE	PERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OT	HER:

IMAGES ARE BEST AVAILABLE COPY.
As rescanning documents will not correct images problems checked, please do not report the problems to the IFW Image Problem Mailbox